



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORBIDITY AND MORTALITY.

MORBIDITY AND MORTALITY TABLES FOR CERTAIN DISEASES,
CITIES OF THE UNITED STATES, FOR WEEK ENDED OCT. 19, 1912.

Cities.	Population, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having over 500,000 inhabitants.												
Baltimore, Md.	558,485	178	35	2	2	15	36	30	44	4		
Boston, Mass.	670,585	202	20	2	35	1	19	64	15	13	3	
Chicago, Ill.	2,185,283	612	186	27	47	1	107	12	199	80	39	
Cleveland, Ohio.	560,663	141	155	4	4	20	2	15	14	15	7	
New York, N. Y.	4,766,883	1,243	307	13	64	1	85	5	388	143	85	
Philadelphia, Pa.	1,549,008	425	60	3	48	1	41	2	53	44	20	
Pittsburgh, Pa.	533,905	165	62	3	90	4	40	2	18	7	14	
St. Louis, Mo.	687,029	189	47	6	9	15	28	20	18	18	2	
Cities having from 300,000 to 500,000 inhabitants.												
Buffalo, N. Y.	423,715	137	14	45	1	8	1	16	11			
Cincinnati, Ohio.	364,463	109	23	1	34	1	14	28	12	2	1	
Detroit, Mich.	465,766	147	40	7		7						
Los Angeles, Cal.	319,198	112	5	1		13	1	17	18	9		
Milwaukee, Wis.	373,857	99	20	5		5		10	7	8	1	
Newark, N. J.	347,469	90	21	3	1	8		37	7	5		
New Orleans, La.	339,075	114	208	8	2	10		26	14	5		
San Francisco, Cal.	416,912	137	11	1		2		21	10	6	1	
Cities having from 200,000 to 300,000 inhabitants.												
Jersey City, N. J.	267,779	61						7			2	
Providence, R. I.	224,326	58	6	1		18		5	3	11	2	
Cities having from 100,000 to 200,000 inhabitants.												
Bridgeport, Conn.	102,054	24	1			8		2	2	3		
Cambridge, Mass.	104,839	30	2			2		9	1			
Dayton, Ohio.	116,577	26	8	4		7		2	2	1		
Fall River, Mass.	119,295	31	5	1		1		5	1	2	3	
Grand Rapids, Mich.	112,571	33	7	3		1		2	8	1		
Lowell, Mass.	106,294	38	5	9		32		3	2			
Nashville, Tenn.	110,364	40	4	1		6		7	5	2		
Omaha, Nebr.	124,096	40	5						1			
Richmond, Va.	127,628	58	9	1		17		4	7	6	2	
Spokane, Wash.	104,402		1	3				2	1	3		
Toledo, Ohio.	168,497	49	17	2	3	10	1		7	6	2	
Worcester, Mass.	145,986	29	13	2		5		2	1	3		
Cities having from 50,000 to 100,000 inhabitants.												
Altoona, Pa.	52,127	10	2			2		1	2	2	1	
Bayonne, N. J.	55,545	20	5		4		1	2	1			
Brockton, Mass.	56,878	5		1				7	2	2		
Camden, N. J.	94,538		8	1	1	2		4		2		
Elizabeth, N. J.	73,409	14	6	1		1		4	1			
Evansville, Ind.	69,647	17	14		1	4		1	1	1		
Fort Wayne, Ind.	63,933	20	3			2		2	1	3		
Harrisburg, Pa.	64,186	21	13	1						1	2	
Hartford, Conn.	98,915	30	13			8		5		4		
Hoboken, N. J.	70,324	6	1					4	1	1		
Johnstown, Pa.	55,482	14	18	1	1					1		
Kansas City, Kans.	82,331	4				2		1	2	1		
Lynn, Mass.	89,336	14	3		1	3		4	1			
Manchester, N. H.	70,063	14	5			3		1	1	1		
New Bedford, Mass.	96,652	42	1		3	2		13		2		
Oklahoma City, Okla.	64,205	13	2	1					1	7		
Passaic, N. J.	54,773	19	5	1	3				1	1		
Pawtucket, R. I.	51,622							3				
Peoria, Ill.	66,950	16	8			2		1				
Reading, Pa.	96,071	23	6	1	1	1		1		3	1	
Schenectady, N. Y.	72,826	17	2		1	4		3		5		
South Bend, Ind.	53,684	17	5				1		1		1	
Springfield, Ill.	51,678	20	8	3		1						
Springfield, Mass.	88,926	20	7					4	2	1		

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table for certain diseases, cities of the United States, for week ended Oct. 19, 1912—Continued.

Cities.	Popula- tion, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
<i>Cities having from 50,000 to 100,000 inhabitants—Continued.</i>												
Trenton, N. J.	96,815	32	5	3	2	6	3	1	1	1	1	
Wilkes-Barre, Pa.	67,105	26	4	3	2	4	2	1	1	1	1	
Wilmington, Del.	87,411											
Yonkers, N. Y.	79,803	19	12	1		5		1	1	1	1	
<i>Cities having from 25,000 to 50,000 inhabitants.</i>												
Atlantic City, N. J.	46,150	7	1		1						1	
Auburn, N. Y.	34,668	14		2	1						1	
Aurora, Ill.	29,807	8	1									
Berkeley, Cal.	40,434	8	1					1	1	1	1	
Binghamton, N. Y.	48,443	8								3		
Brookline, Mass.	27,792	4	4									
Butte, Mont.	39,165	19			3		2					
Chelsea, Mass.	32,452	12	1	1		4		2				
Chicopee, Mass.	25,401	5	2	2	1							
Danville, Ill.	27,871	9	1	1	9							
East Orange, N. J.	34,371		1	1		3		1				
Elmira, N. Y.	37,176	11	3		1	1		1	1	1	1	
Everett, Mass.	33,484	4			2							
Fitchburg, Mass.	37,826	11		1	1	1		1				
Haverhill, Mass.	44,115		1		3		1		1			
Kalamazoo, Mich.	39,437	14	3		1	2	1	2				
Knoxville, Tenn.	36,346	11	1				1					
La Crosse, Wis.	30,417	4										
Lancaster, Pa.	47,227		4		2	3						
Lexington, Ky.	35,099	8	7		1		1	1				
Lynchburg, Va.	29,494	14	5	1	1				4	1		
Malden, Mass.	44,404	10	5	1	1	2	1					
Montgomery, Ala.	38,136	18	1	1		1		2	1			
Mount Vernon, N. Y.	30,919		4			1						
Newcastle, Pa.	36,280		13		1			5				
Newport, Ky.	30,309	7	7		4	1	1					
Newton, Mass.	39,806	6			2	1						
Niagara Falls, N. Y.	30,445	10	3	1	2							
Norristown, Pa.	27,875	8	1	1		1			9			
Orange, N. J.	29,630	10	3	1		1						
Pasadena, Cal.	30,291	8					2	1				
Pittsfield, Mass.	32,121	7	6		1		1				1	
Portsmouth, Va.	33,190	11	6		1			1				
Racine, Wis.	38,002	12	3		1							
Roanoke, Va.	34,874	11	6		4	3	2	11	2			
Rockford, Ill.	45,401	17	3		1		1	8	1			
Sacramento, Cal.	44,686	23						4	1	1		
Salem, Mass.	43,697	18	2									
San Diego, Cal.	39,578	7			1	1	1					
South Omaha, Nebr.	26,259							2				
Superior, Wis.	40,384	10	3		1					1		
Taunton, Mass.	34,259	16	1		1			1				
Waltham, Mass.	27,834	10	2		1	1						
Wheeling, W. Va.	41,641	18	19		2	3	1					
Williamsport, Pa.	31,860	9	3						1			
Wilmington, N. C.	25,748	12	2		2				3			
York, Pa.	44,750		2	9		1			3			
Zanesville, Ohio.	28,026	6	9						1			
<i>Cities having less than 25,000 inhabit- ants.</i>												
Alameda, Cal.	23,833	5										
Ann Arbor, Mich.	14,817	7	1		1							
Beaver Falls, Pa.	12,191		1						1			
Biddeford, Me.	17,079	1										
Braddock, Pa.	17,759		3	3	3	2		2				
Cambridge, Ohio.	11,327	4			3				1			
Clinton, Mass.		2	1									

¹ 7 cases imported.

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table for certain diseases, cities of the United States, for week ended Oct. 19, 1912—Continued.

Cities.	Popula- tion, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having less than 25,000 inhabitants—Continued.												
Coffeyville, Kans.	12,687											1
Columbus, Ga.	20,554	5										
Columbus, Ind.		3	7									1
Concord, N. H.	21,497	9								1		
Cumberland, Md.	21,839	6					5		1		3	
Dunkirk, N. Y.		4									2	
Galesburg, Ill.	22,089	2										
Harrison, N. J.	14,498	5	1									
Homestead, Pa.	18,710	9	5		3		1					
Kearny, N. J.	18,659	1	3		1		1		1			
La Fayette, Ind.	20,081	4								2		
Logansport, Ind.		7	1				1					
Marinette, Wis.	14,610	3									1	
Marlboro, Mass.	14,749	4		1								
Massillon, Ohio.	23,830	2										
Medford, Mass.	23,150	5										
Moline, Ill.	24,190	10								1	2	
Montclair, N. J.	21,450	6										
Morristown, N. J.	12,507	6	1	1				2		1		
Nanticoke, Pa.	18,857	6	1					1				
Newburyport, Mass.	19,240	2										
North Adams, Mass.	22,019	12										
Northampton, Mass.	19,431	7							3			
Ottumwa, Iowa.	22,012	5			1		7			1	1	
Plainfield, N. J.	23,550	10							2			
Pottstown, Pa.	15,599	6									1	
Saratoga Springs, N. Y.		1										
South Bethlehem, Pa.		8	5									
Steelton, Pa.	14,476	2	1		1					1		
Warren, Pa.	11,080	1			1						2	
Wilkinsburg, Pa.	11,080	5			11						1	
Woburn, Mass.	18,594	6								1		

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES OF THE UNITED STATES (Untabulated).

NORTH DAKOTA.—Month of September, 1912. Population 577,056. Total number of deaths from all causes 209, including scarlet fever 2. Cases reported: Diphtheria 20, measles 8, scarlet fever 2, smallpox 5, tuberculosis 4, typhoid fever 12.

PENNSYLVANIA—Mortality.—Month of August, 1912. Population 7,665,111. Total number of deaths from all causes 9,155, including typhoid fever 121, scarlet fever 38, diphtheria 111, measles 39, whoopingcough 85, smallpox 10, influenza 16, malaria 5, tuberculosis of lungs 616, tuberculosis of other organs 121, cancer 472, diabetes 50, meningitis 49, poliomyelitis 11, pneumonia 379, diarrhea and enteritis, under 2 years, 1,603; diarrhea and enteritis, over 2 years, 224; Bright's disease and nephritis 538, early infancy 712, suicide 65, accidents in mines 116, railway injuries 115, other forms of violence 486, all other diseases 3,213.